

buy online* at **shop.havells.com***Online shopping is applicable on select products.



PRESENTING, STUNNINGLY BEAUTIFUL RANGE OF FANS

Havells presents the smart, stylish and stunningly beautiful range of fans that not only embraces the home décor but are compatible with smart devices too. Enhance the internal beauty of your home by adding a state-of-the-art collection from Havells.

PRESENTING



HAVELLS DESIGNER FANS.





Havells India Limited, a leading Fast Moving Electrical Goods (FMEG) company is known for launching top quality and innovative products in India, which are in sync with customer's changing preferences and requirements. Havells has been extremely responsive to the dynamics of the economy and has always broken fresh ground backed by its strong research and development team, raised the bar with contemporary designs, value for money and high quality models.

Over the years, Havells have been a pioneer in the fan category with many "firsts" to its credit. Havells was the first in launching Electroplated Fans, first to introduce Decorative Fans with Metallic Colours (akin to the auto industry) and revolutionized the industry with India's Most Energy Efficient 40 W Ceiling Fan in Induction Motor category and the most 'Silent Ceiling Fan"

Continuing this legacy, Havells is now introducing a new range of Intelligent and Decorative Ceiling Fans with Smart IoT Functionality, energy saving environment friendly fans with Eco-BLDC technology, best-in-class personal & pedestal fan range with world class finish & features.

The new range offers premium designs with sleek style and intelligence to cater to the needs of a modern consumer who is discerning and demands the best.

CEILING FANS



IoT Premium Special Decorative Purifier underlight finish 38 06 10 14 28 Kids Regular Hi-Speed Decorative Energy saving 78 90 100



PORTABLE FANS

Table	Wall	Pedestal	Personal	Cabin
104	120	142	152	156

VENTILAIR FANS



Metal Plastic 160 156




INDUSTRIAL FANS

Heavy duty exhaust / wall / pedestal / air circulator

170















- A stylish, silent and powerful Smart IoT enabled fan.
- Compatible with Alexa and Google home can be operated by Voice command
- Can be operated with a user friendly Mobile App which allows multiple users / devices to use it
- The fan comes with a remote control as well
- Timer setting for (2, 4, 6, 8) hours through App
- Different modes: Smart Mode, Sleep mode, Breeze mode for better user experience
- Non IOT option is also available.
- Smart Mode for temperature and humidity sensing



- Can be operated with a user friendly Mobile App and remote which allows multiple users / devices to use it
- Smart Mode for temperature and humidity sensing
- Timer setting for (2, 4, 6, 8) hours through App
- Different modes: Smart Mode, Sleep mode, Breeze mode for better user experience
- Automatic ON/OFF through Scheduler setting available in the App
- Memory back up to restore the last operating state of the fan in case of power failure
- Premium IMD (in mold design) designs on Body ring and Trims for better aesthetics













OPUS

- Sweep 1100 mm
- Powerful motor with silent operation
- Brushed nickel finish with 8 transparent blades
- Remote control for on/off, speed & light





EBONY

- -Sweep 1320 mm
- Oil rubbed bronze finish
- Remote control operations
- Contemporary LED underlight
- Great aesthetics & styling
- Unique designer blades for superior corner to corner air flow









LUMOS

- Sweep 1320 mm
- Remote control operations
- World-class contemporary aesthetics
- Dual light fittings for direct & indirect lighting5 silver finish polycarbonate blades for superior
- 5 silver finish polycarbonate blades for superior "corner to corner" air flow

MELANIA

- -Sweep 950 mm
- Black nickel electroplated
- -3 Blade made of high quality wood
- Contemporary LED underlight
- Remote control operations













FUTURO

- -Sweep 1320 mm
- Four blades for wider air deliveryPerfectly streamlined body
- Available with Remote
- Bluetooth controlled underlight fan



OCTET UNDERLIGHT FAN

- -Sweep 1320 mm
- Unique eight blades with robust motor
- Contemporary looksSuperior air delivery and silent operation
- Great aesthetics & styling



Brushed Nickel -Wenge









FLORENCE UNDERLIGHT

- Sweep 1200 mm
- Antique premium looks
- Decorative 4 Lamp shades
- Pull cord for speed and light function
- All weather fan (Rotation in both direction)
- Special wood finish on blades to suit home decor



Wenge-Black Antique Brass



URBANE

- -Sweep 1320 mm
- Embedded LED underlight in ring shape
- Unique color changing option in LED light
- Electroplated motor with antique look
- Remote control for fan speed, light on/off/ color change.
- Powerful motor for high air delivery and silent operation











DLIVIA

- Sweep 1200 mmLED lights for home decor
- Adjustable light intensity for comfortRemote control operation
- -5 step speed control










LUMENO

- Sweep 1320 mm
- LED lights for home decor
- Adjustable light intensity for comfortRemote control operation
- -5 step speed control





TRINITY UNDERLIGHT

- Sweep 1200 mm
- Superior metallic paint finish
- Invisible shank to gel with modern interiors
- Remote control for controlling the Fan & Light function - Breeze and Sleep Mode function in remote control
- along with light intensity control. - Dimmable & Tuneable Edge LED light technology with options of Cool Light, Neutral Light & Warm Light











Black Antique Nickel

FLORENCE

- -Sweep 1200 mm
- Finish suiting modern interiors
- -4 blades with special finish
- Decorative die cast shank
- Motor body, downrod, canopy & shank in plated finish



Black Antique Copper



Two Tone Nickel Gold






- -Sweep 1320 mm
- Unique eight blades with robust motor
- Contemporary looksSuperior air delivery and silent operation
- State-of-the-art aesthetics & styling



Wenge Brushed Nickel










Pinewood-Cola







CEILING FANS - SPECIAL FINISH FANS

- -Sweep 1320 mm
- Aerofoil profile reinforced ABS blades
- -Strong 18 pole motor
- Metallic paint finish
- Highest air delivery in the class



-Sweep 1200 mm / 1250 mm

- Most Silent Fan
- Strong 18 Pole Motor
- 100% Rust free reinforced ABS Blades

STEALTH WOOD

- Aerodynamic profile blades for silent operations
- -Wooden Texture to match with your home decor
- -Wide Blades with High twist angles leading to High Air Delivery










Antique Copper

YORKER

- Sweep 1320 mm
- Electro phoretic lacquered surface for anti rusting
- Special wood finish using water film transfer technology
- Four blades for wider air delivery
- Perfectly streamlined body




Antique Brass





STEALTH AIR

- Aerodynamic profile blades for silent operation
- Wide blades with high twist angles leading to high air delivery
- -Strong 18 pole high torque motor
- 100% rust free reinforced ABS blades
- Dust and Mark resistant coating
















ORION

- -Sweep 900 mm & 1200 mm
- High speed fan
- Electro-phoretic lacquered surface for anti-rusting
- Wider tip blades for effective air circulation







- Sweep 1200 mm
- Electro-phoretic lacquered surface for anti-rusting
 Wider tip blades for effective air circulation







CEILING FANS - DECORATIVE FANS




SAGITTAL

- -Sweep 1320 mm
- Electroplated blade trims
- Unique mounting of blades on bottom side of motorExotic electroplated ring on motor of pearl white chrome colour



CEILING FANS - DECORATIVE FANS





ANTILIA

- -Sweep 1200 mm
- High speedStatic false bottom cover with IMD pattern
- Defused trims with IMD pattern on the blades













- -Sweep 1200 mm
- Contemporary Aesthetics and Styling
- Wooden Texture to match home decor
- Wider Tip Blade for more air spread







Note: Dust resistant will not be applicable for matt finish.





ENTICER ART



FLORA

- Sweep 1200 mm
- Wider tip blade for more air spread
- Unique inmould floral designDesigned to gel with modern interiors
- Fresh and novel graphics
- Superior metallic paint finish





ENTICER ART



FAUNA

- -Sweep 1200 mm
- Wider tip blade for more air spread
- Unique inmould fauna design
- Designed to gel with modern interiors
- Fresh and novel graphics
- Superior metallic paint finish



CEILING FANS - DECORATIVE FANS





ENTICER ART



STONE

- Sweep 1200 mm
- Wider tip blade for more air spread
- Unique inmould stone design
- Designed to gel with modern interiors
- Fresh and novel graphics
- Superior metallic paint finish





AQUA PEARL

- -Sweep 1200 mm
- Wider tip blade for more air spread
- Unique inmould aqua design
- Designed to gel with modern interiors
- Fresh and novel graphics
- Superior metallic paint finish



Pearl White Gold







ENTICER ART



- -Sweep 1200 mm
- Unique inmould design pattern
- Designed to gel with modern interiors
- Fresh and novel graphic
- Superior metallic paint finish











- Sweep 1200 mm
- Unique inmould design pattern
- Designed to gel with modern interiors
- Fresh and novel graphic
- Superior metallic paint finish











- -Sweep 1200 mm
- High Performance motor
- Exotic rich looks with modern styling
- Optimum air delivery even at low voltage
- Unique inmould pattern
- -Special dust resistant paint finish













SILVER

- Sweep 1200 mm
- Unique foiling design pattern
- Designed to gel with modern interiors
- Fresh and novel graphics
- Superior metallic paint finish


- -Sweep 1200 mm
- Unique foiling design pattern
- Designed to gel with modern interiorsFresh and novel graphics

ENTICER HUES

Gold

- Superior metallic paint finish









ENTICER

- Sweep 600 mm, 900 mm, 1050 mm, 1200 mm & 1400 mm
- High Performance motor
- Dust Resistant*
- Exotic rich looks with modern styling
- Optimum air delivery even at low voltage
- Wider Tip Blade for more air spread



*NOTE: Espresso brown & Indigo blue color are without dust resistant feature.







CEILING FANS - DECORATIVE FANS





- Metallic paint finish
- High performance even at low voltage
- Superior air delivery
- Innovative designer fan blade
- Exotic blade trims and body ring



Pearl White Silver





LEGANZA 4B

- -Sweep 1200 mm
- Metallic paint finish
- Superior air delivery
- 4 blade innovative design fan
- Exotic blade trims and body ring





Bronze Gold

Pearl White Silver



TRINITY

- -Sweep 1200 mm

- Superior metallic paint finish
- Strong 14p motor



Black Lt Copper







CARNESIA

- Sweep 1200 mm
- Superior metallic paint finish
- Superior air delivery
- Unique inmould design pattern
- Foiling on tip end of blade





Gold



Pearl Ivory Gold

NICOLA

- -Sweep 600 mm, 900 mm, 1200 mm & 1400 mm
- Metallic paint finish
- Contemporary elegant designAvailable in stunning color combinations
- Decorative trims on motor cover & blades





CEILING FANS - DECORATIVE FANS









SPARTZ


- Sweep 1200 mm
- Optimum air delivery even at low voltage
- Wider tip blade for better air delivery
- High Performance Motor
- Available in stunning color combinations



Gold Mist Pearl Brown







ZESTER

- Optimum air delivery even at low voltage
- Exotic rich looks with modern styling
- Decorative blade trims with 3D design pattern
- Tangential blade design
- Superior paint finish






Dusk





- -Sweep 1200 mm
- Rich trendy looksCurved blades with elegant trims
- Stylish canopies









Beige-Brown

Pearl Ivory Gold



FESTIVA

- Sweep 1200 mm
- Dust Resistant*
- Metallic paint finish
- High performance even at low voltage
- Motor with decorative ring
- Decorative trims on blades & canopy



Pearl White Silver

Gold Mist



Pearl Ivory

Espresso Brown



Ocean Blue Silver

- Optimum performance even at low voltage

- Premium canopy set with down rod cover



ANDRIA

- High speed
- Dust resistant*
- Sweep 900 mm, 1200 mm & 1400 mm
- Modern design to suit contemporary interiors
- Ribbed blade ensures high air delivery & air thrust
- Long lasting metallic finish



Indigo Blue

*Note: Espresso brown & Indigo blue color are without dust resistant feature



Pearl White



Ivory Beige







White Pearl Ivory

- ASTURA
- 1200 mm, 390 r/ min (RPM) - Sweep 1200 mm
- Dust Resistant with metallic paint finish
- -Wider Blades for high air thrust
- High performance even at low voltage
- Motor with decorative ring
- Decorative trims with foiling on blades & canopy





Gold - Mist



Equs

-Sweep 1200 mm

- High Speed Fan

- Exotic rich looks with modern styling

- High quality and Subtle Chrome Highlights

- Crisp, Geometric design to suit contemporary Interiors



SAMRAAT DECO

- Sweep 1200 mm
- Exotic rich looks with modern styling
- Optimum air delivery even at low voltages
- High Performance Motor
- Wider Tip Blade for more air spread





FESTIVA PRIME

- -Sweep 1200 mm
- Dust Resistant with metallic paint finish
- Wider blade tip for high Air delivery
- High performance even at low voltage
- Motor with decorative ring
- Decorative trims on blades





HAVELLS









UNICORN

- Sweep 1200 mm
- Exclusive design for Kids Room
- Superior air delivery even at low voltages
- Wider Tip Blade for more air spread
- Designer static center



OCEAN QUEST

- -Sweep 1200 mm
- Exclusive design for Kids Room
- Superior air delivery even at low voltages
- Wider Tip Blade for more air spread
- Designer static center







SAUROUS WORLD

- Sweep 1200 mm
 Exclusive design for Kids Room
 Superior air delivery even at low voltages
 Wider Tip Blade for more air spread
 Designer static center















STEALTH AIR BLDC

- -Sweep 1200 mm
- Aerodynamic profile blade leads to higher air delivery
- Wide blade & high twist angle
- Dust and mark resistant coating
- RF remote control
- Metallic paint finish
- Upto 4 Hours timer setting












ENTICER BLDC

- -Sweep 1200 mm
- Inmould Design
- -35 W Power consumption
- ECO BLDC
- No Humming sound while running on inverter





Pearl White













- -Sweep 1200 mm
- Least power consuming fan-26 W
- PCB housing in the bottom canopy
- No humming sound while running on inverter
- India's most power efficient ceiling fan model

Also available in 900 mm & 1400 mm sweep Available without remote as regulator compatible varient for institutions and projects.



Bianco

Elegant White







EFFICIENCIA PRIME

- High speed BLDC fan 370 r/ min (RPM)




















Bianco









ES 40

- -Sweep 1200 mm
- -40 W power consumption
- -3 star rated fan with service value>5 in induction motor
- India's most energy efficient induction motor ceiling fan
- Aerodynamic blades for maximum air delivery
- Available in three colors








- Sweep 1200 mm
- -50 W power consumption
- Also available in 1400 mm size without 5 star rating









HI-SPEED

- Sweep 1200 mm 52 W
- High speed decorative energy efficient model






ES NEO


- -Sweep 1200 mm
- -50 W power consumption
- Powerful motor with CRNO Lamination

Also available as ES Plus with ISI for projects and institution.











HAVELLS








- Sweep 1575 mm & 1320 mm
- Strong 16 pole motor
- Wider Tip Blade for more air spread



AEROKING

- Elegant design
- High Speed
- Unique ribbed aerodynamic aluminium blades for better air spread
- Powder coated long lasting finish in white/brown/bianco colorsSweep 600 mm, 900 mm, 1050 mm, 1200 mm & 1400 mm











SS-390 METALLIC





55 - 390

- -Sweep 600 mm, 900 mm, 1050 mm, 1200 mm & 1400 mm
- Aerodynamically designed blades
- Wider tip blade for effective air-circulation
- Superior air-delivery even at low-voltage







SAMRAAT

- Elegant designHigh Speed
- Aerodynamically designed aluminium blades for better air spread
 Powder coated long lasting finish in white/brown/bianco colors
 Sweep 600 mm, 900 mm, 1050 mm, 1200 mm & 1400 mm



Bianco


White

- -Sweep 1200 mm
- High speed fan
- Excellent & long lasting paint finish













XP JET

- Sweep 1200 mm235 m³/min Air delivery.
- Wider blades for High Air delivery & High air thrust.



Brown





CEILING FANS - HI-SPEED





AEROKING

- -Sweep 600 mm
- High speed fan
- Aerodynamically designed blades
- Wider tip blade for effective air-circulation
- Superior air-delivery even at low-voltage





SS 390

- Sweep 600 mm
- High speed fan
- Aerodynamically designed blades
- Wider tip blade for effective air-circulation
- Superior air-delivery even at low-voltage





SPEEDSTER

- -Sweep 750 mm
- High speed fan



CEILING FANS - HI-SPEED



ENTICER

- High Performance even at low voltage
- Superior metallic paint finish
- Sweep 600 mm with 850 r/min (revolutions per minute)
- Available in Pearl white gold and pearl white chrome



NICOLA

- -Sweep 600 mm with 850 r/min (RPM)
- High speed fan
- Excellent & long lasting paint finish
- Available in Gold Mist-Copper & Pearl Ivory-Gold

Most of Fans available in 600 mm also.



FUSION

- Sweep 600 mm with 850 r/min (RPM)
- Available in Silver Blue, Pearl Ivory Gold, Beige Brown & Pearl White Silver



SAMRAAT

- -Sweep 600 mm
- High speed fan
- Available in White, Brown and Bianca










- -Sweep 400 mm
- High speed motor for better air delivery
- Smooth oscillation
- Superior low voltage performance





- -Sweep 400 mm
- Smooth oscillation
- Available in 2 colours









ACCELERO

- -Sweep 400 mm
- Smooth oscillation
- Hi-speed motor





SWING LX

- -Sweep 400 mm
- Smooth oscillation
- Pivot arrangement for tilting & oscillation
 Aerodynamically designed & balanced PP blades
 Available in cherry & white







SAMEERA

- -Sweep 400 mm
- Jerk free oscillation
- Pivot arrangement for tilting & oscillation– Aerodynamically designed & balanced PP blades



















- Sweep 300 mm
- Elegantly designed fan base in round shape
- Stylish contemporary look
- Pull cord control for speed & oscillation











- -Sweep 300 mm
- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades









PLATINA HI-SPEED

- -Sweep 400 mm
- Smooth oscillation
- Aerodynamically designed balanced heavy duty PP blade








ACCELERO

- Sweep 300 mm & 400 mm available
- Smooth oscillation
- Pull cord for 3-speed control











D'ZIRE

- -Sweep 300 mm
- Elegantly designed fan base in round shape
- -5 Leaves transparent AS blade
- Stylish contemporary look
- Pull cord control for speed & oscillation






SWING

- -Sweep 300 mm
- Elegantly designed fan base
- Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades





- -Sweep 400 mm
- Wider oscillation
- Rust free Aluminium blades
- Powerful motor for high air delivery
- Pull cord control for speed & oscillation





D'ZIRE

- Sweep 400 mm
- Elegantly designed fan base in round shape
- Stylish contemporary lookPull cord control for speed & oscillation





WALL FAN



PLATINA


- -Sweep 400 mm
- High performance motor for better air delivery
- Smooth oscillation
- Aerodynamically designed & balanced heavy duty PP blades






SAMEERA

- Sweep 400 mm
- Elegant looks
- High Air Delivery
- Attractive colour combinations







SWING

- -Sweep 400 mm
- Elegantly designed fan base
- -Pull cord control for speed & oscillation On-Off
- Aerodynamically designed & balanced blades





PLATINA REMOTE

- -Sweep 400 mm
- Smooth oscillation with synchronous motor
- -I.R. remote control
- High performance motor
- Aerodynamically designed & balanced AS blades










- -Sweep 400 mm
- Upto 8 hours timer
- Remote control operation
- Soft touch panel for fan operation
- ABS body for high strength and gloss
- Standard, Natural, Breeze & Sleep Mode
- Additional fuse for protection against high voltage & spikes







- -Sweep 450 mm
- Smooth oscillation
- Aerodynamically designed & balanced propeller type blades









- -Sweep 450 mm
- Sturdy & heavy duty aluminium blades for high air delivery
- Sleek & stylish design
- Nickel chrome plated guard
- Smooth oscillation






-Sweep 400 mm

- Smooth oscillation

- Heavy base for stability








TRENDY HS

- Motorized smooth oscillation

- ABS blades for better air thrust

-Sweep 400 mm

-3 Speed control







- Sweep 400 mmSmooth oscillation







- Sweep 400 mmElegant look
- Sturdy base for more stability






SWING

- Sweep 400 mmSmooth oscillation
- Elegantly designed switch box













TRENDY





- Sweep 400 mm3 speed control
- Smooth oscillation









PENTAFORCE

- -Sweep 400 mm
- Elegant Looks
- Sturdy Square Base for more stability
- 3 Speed Control- 5 Leaf Blade design for High Air delivery
- Upto 2 hours timer with automatic switch off





SPRINT LED

Model also available without remote.

- Available in two attractive color combinations

-Sweep 400 mm - Heavy base for stability

- LED indicator lights





TRENDY METALLIC

- Sturdy base for more stability
- Rust free aluminium blades
- Upto 2 hours timer with automatic switch off





- -Sweep 400 mm
- Square Guard Design for premium Looks
- -Timers Upto 8 hours
- LED Light at the Bottom
- Sleep Mode and Breeze Mode
- Soft touch option along with remote control





Sweep 450 mmSmooth oscillation









- Up to 8 h timer for automatic switch OFF
- Adjustable oscillation from 30° to 360°
- -90° face up position for air circulation in room
- Remote control operation and LED touch panel on fan















- -Sweep 450 mm
- Smooth oscillation
- Aerodynamically designed rust proof aluminium blades
- Heavy base for stability





WINDSTORM OXY

- -Sweep 500 mm
- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motorTelescopic height adjustment
- -3 leaf metal blade
- Smooth oscillation







WINDSTORM

- -Sweep 500 mm
- Three speed control
- Attractive bi-colour metallic finish
- Powerful energy efficient heavy duty motor
- Telescopic height adjustment
- Unique aerodynamically designed 3 leaves metal blade for excellent air thrust



WINDSTORM NEO

- -Sweep 450 mm
- Three speed control
- Attractive bi-colour metallic finish
- Telescopic height adjustment
- Unique aerodynamically designed 4 leaf metal blade for excellent air thrust









WINDSTORM

- -Sweep 400 mm
- High performance motor
- Aerodynamically designed blades
- Smooth oscillation










- Sweep 250 mm
- Three step speed control
- Aluminium blades for high air flow
- Smooth oscillation & wider area coverage













2 SPEED SETTING



UPTO 3 HOURS BATERY BACKUP



CARBON FILTER FOR PURE AIR



PORTABLE USB CHARGING



STYLISH CARRY HANDLE







MINI KOOL-MATE

- -200 mm sweep
- -90° vertical tilting
- -30° 90° 180° 360° automatic horizontal oscillation
- Aerodynamic turbo design for maximum air
- 1 hour 2 hours 4 hours 8 hours auto-timer
- -3 speed modes normal, nature & sleep
- Remote control
- LED display









COOLBUDDY

- 140 mm sweep
- -90° vertical tilting
- Rechargeable design with USB connection
- Digital button to control wind speed Upto 4-Levels





White Maroon



- 175 mm sweep
- Unique multi-directional adjustment for desired air flow
- Unique propeller, deep pitched blades for powerful air flow
- Multi purpose fan can be mounted on table, wall & ceiling



On wall



On Table

On Ceiling



Black Grey



Yellow Maroon



BIRDIE

- -230 mm sweep
- Unique rocker design for rotation of fan head both in horizontal and vertical plane
- Multi use fan can be mounted on desk and wall
- Powerful energy efficient motor to deliver strong air flow



Black Grey









CRESCENT


- 250 mm sweep
- Revolving grill for wide spread of air
- Table and wall mounting dual purpose
- -3 speed operation and 2 hour timer
- 180° fan head movement
- Super silent operation





- 300 mm sweepHigh Speed & High air thrust
- Multipurpose Can be used as Desk fan or Wall fan
- -Three speed control







CIERA

- -Sweep 300 mm
- Grill for protection
- Ideal for mounting on low height ceiling and in cabin





CIERA HS

- -Sweep 230 mm
- Grill for protection
- Ideal for mounting on low height ceiling and in cabin





SWING GYRO

- -Sweep 400 mm
- -360° gyroscopic movement / adjustable wind direction
- Grill for protection
- Ideal for mounting on low height ceilingAerodynamically designed balanced ABS blades











Off White



VENTO JET - AUTO

- -Sweep 100 mm, 150 mm
- Brushed steel finish/Off White
- Automatic front shutter
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable & Screw less front for easy cleaning



Inox


VENTO JET

- Sweep 100 mm, 150 mmBrushed steel finish / Off-white
- Modular concept
- High suction capacity
- Silent operation
- Wall, ceiling and glass mounting
- Removable & Screw less front for easy cleaning



Off White







VENTILAIR DX-G

- -Sweep 130 mm
- Modern design & elegant look
- Ideal for centrally air conditioned bathrooms and mounting on ceiling



VENTILAIR DXR

- -Sweep 150 mm
- Back shutter & fan ON-Off operations are inter-locked through pull cord



VENTILAIR DXW NED

- -Sweep 150 mm
- Easy installation on glass window & wood panels




VENTILAIR DX-WE

- -Sweep 150 mm
- Suitable for window & wall mounted indoor installation
- Electrically operated automated front shutter
- Modern design, fashionable & elegant look

DX-WT available with thermal opearted automatic shutter









VENTILAIR DXW

- -Sweep 100 mm & 150 mm
- Ideal for mounting on glass window & wood panels

DXW CELSO

- Sweep 150 mm & 200 mm
- Modern looks and sleek design for easy fitting
- Ideal for mounting on glass
- Pull cord for fan switch on-off and shutter open-close
- Shutter to prevent entry of insects, pest and rodents





VENTILAIR DXZ

- -Sweep 100 mm & 150 mm
- Easy Installation on Glass/window panels
- High Quality Plastic, resistant to colour change
- Elegant front grill
- Available in black color





VENTILAIR HUSH

- Sweep 100 mm & 150 mm
- Modular concept
- High suction capacity
- Silent operation
- Removable Screw less front for easy cleaning















- -Sweep 150 mm, 200 mm & 250 mm
- Ideal for mounting on wood & glass
- High quality engineering plastic, resistant to colour change with anti-static properties

Available in black colour*





VENTILAIR DX HS

- -Sweep 150 mm, 200 mm & 250 mm
- Ideal for mounting on wood & glass
- High quality engineering plastic, resistant to colour change with anti-static properties



VENTILAIR DB

- -Sweep 230 mm & 300 mm
- Double ball bearings, heavy duty motor with protective steel bird guard
- Robust construction

Also available in grey color as DB Neo





VENTILAIR DS

- -Sweep 150 mm, 230 mm & 300 mm
- Specially designed metal blade
- Powder coated long lasting finish
- Sturdy steel bird guard





- Rust free bird guard
- Specially designed metal blades
- Speed 1350 revolutions per minute
- Dust & Grease easily removable.



VENTILAIR DS-HS REVERSIBLE

- -230 mm, 300 mm Sweep
- Specially designed metal blade
- Powder coated metallic finish
- Sturdy steel bird guard
- Switch provided for direction change









WALL AIR CIRCULATOR FAN



- Aerodynamically designed blades for higher air delivery and minimal noise levels
- Double 'z' shielded ball bearings for longer life
- Indexable to different positions up to 15°
- Oscillation up to 90° for total flexibility
- Sturdy brazed wire guards with powder coating ensures corrosion resistance
- Generally conforming to IS: 2997-1964 standards
- Available in 450 mm, 600 mm and 750 mm sizes







TURBOFORCE

PEDESTAL AIR CIRCULATOR FAN

- Aerodynamically designed blades for higher air delivery and minimal noise levels
- Double 'z' shielded ball bearings for longer life
- Oscillation up to 90° for total flexibility
- Sturdy brazed wire guards with powder coating ensures corrosion resistance
- Generally conforming to IS: 2997-1964 standards
- Available in 450 mm, 600 mm and 750 mm sizes







TURBOFORCE HEAVY DUTY EXHAUST FAN

- Corrosion resistant body, minimal noise operation & maintenance free design
- Totally enclosed, highly efficient heavy duty motor with pressure die cast aluminium rotor mounted on two ball bearings
- Aerodynamically contoured blades handle maximum air with minimum power consumption.
- Rigid frame with rubber mountings for silent operation
- Conforming to IS: 2312 -1967
- Available in various sizes with I & III phase
- An IP55 rated product (protected from limited dust ingress and from low pressure water jets from any direction)





TECHNICAL SPECIFICATIONS



	Technical Specification - Ceiling Fans					
Performance Details on 220 V - 240 V, 50 Hz AC						
SI No.	Model	Sweep (mm)	Watt (W)	Speed r/min (rev/min)	Air Delivery (m³/min)	
Α	Ceiling Fans					
1	Fusion, SS-390 Metallic, Velocity, SS-390, Nicola, Speedster 4 blade, XP 390, Pacer, Enticer, Samraat	600 mm	65 W	850 r/min	110 m3/min	
2	Speedster 4 blade	750 mm	68 W	780 r/min	125 m3/min	
3	Nicola, Fusion, SS-30, SS-390 Metallic, Velocity	900 mm	62 W	420 r/min	140 m3/min	
4	Efficiencia Neo	900 mm	28 W	430 r/min	150 m3/min	
4	Enticer, Pacer	900 mm	70 W	420 r/min	150 m3/min	
5	SS-390, Fusion, SS-390 Metallic, Velocity	1050 mm	65 W	400 r/min	150 m3/min	
6	Enticer, Pacer	1050 mm	72 W	400 r/min	170 m3/min	
7	Orion, Enticer, Enticer Art Limited edition, Collecter's edition, Hertiage edition, Nature Series, Spartz, Leganza (3B), SS 390 Deco, SS-390 Metallic, Festiva, Zester, Enticer Hues Gold/Silver	1200 mm	74 W	390 r/min	235 m3/min	
8	Pacer	1200 mm	72 W	390 r/min	230 m3/min	
9	Samraat, Samraat Deco, Antilia, Sam met	1200 mm	74 W	390 r/min	220 m3/min	
10	Woodster, Safari, Motorace, Ocean Quest, Sauras World, Unicorn	1200 mm	65 W	350 r/min	230 m3/min	
11	Leganza (4B)	1200 mm	70 W	350 r/min	225 m3/min	
12	Velocity-HS, Andria	1200 mm	74 W	390 r/min	220 m3/min	
13	Nicola, Fusion, Troika, Velocity, Fusion Prime	1200 mm	74 W	350 r/min	225 m3/min	
14	Stealth Air	1250 mm	80 W	280 r/min	280 m3/min	
15	Stealth Air Underlight	1250 mm	80 W + 10 W	280 r/min	280 m3/min	
16	Stealth Cruise	1320 mm	80 W	300 r/min	320 m3/min	
17	Yorker, Urbane	1320 mm	82 W	300 r/min	260 m3/min	
18	Sagittal	1320 mm	74 W	300 r/min	250 m3/min	
19	Octet	1320 mm	84 W	270 r/min	280 m3/min	
20	Futuro	1320 mm	82 W	300 r/min	260 m3/min	
21	SS-390, SS-390 Metallic	1400 mm	75 W	320 r/min	255 m3/min	
22	Fusion, Velocity, Pacer, Nicola, Enticer, Samraat, Sam met	1400 mm	75 W	290 r/min	250 m3/min	
23	Lumeno	1320 mm	74 W	280 r/min	260 m3/min	
24	Olivia	1200 mm	80 W	280 r/min	260 m3/min	
25	Trinity UnderLight	1200 mm	74 W + 10 W	350 r/min	225 m3/min	
26	EP Trendy	1200 mm	74 W	350 r/min	220 m3/min	
27	Octet Underlight	1320 mm	90 W	270 r/min	280 m3/min	
28	Carnesia I, Carnesia	1200 mm	74 W	390 r/min	235 m3/min	
29	Stealth wood I, Stealth Wood	1250 mm	80 W	280 r/min	280 m3/min	
30	Retro Classic	1320 mm	74 W	290 r/min	260 m3/min	
31	Equs, Astura, Milor	1200 mm	74 W	390 r/min	220 m3/min	
32	Puro Air	1250 mm	80* W	280 r/min	280 m3/min	
33	Florence, Florence UL	1200 mm	75* W	300 r/min	220 m3/min	

TECHNICAL SPECIFICATIONS

_		

SI No.	Model	Sweep (mm)	Watt (W)	Speed r/min (rev/min)	Air Delivery (m³/min)
В	Energy Saving Fans				
34	Stealth BLDC	1200 mm	40 W	280 r/min	240 m3/min
35	Efficiencia Neo	1200 mm	26 W	350 r/min	220 m3/min
36	Efficiencia Prime	1200 mm	35 W	370 r/min	225 m3/min
37	ES-40	1200 mm	40 W	300 r/min	215 m3/min
38	Fusion 2-HS	1200 mm	52 W	390 r/min	235 m3/min
39	Enticer BLDC	1200 mm	35 W	390 r/min	235 m3/min
40	ES 50 Premium, ES 50, ES Neo, Samraat 50	1200 mm	50 W	350 r/min	226 m3/min
41	ES PLUS ISI	1200 mm	50 W	350 r/min	226 m3/min
42	Velocity ES ISI	1400 mm	56 W	290 r/min	245 m3/min
TPW Fa	ns				
Perform	ance Details on 220 V - 240 V, 50 Hz AC				
С	Table Fans				
1	Velocity Neo-HS, Swing LX HS	400 mm	120 W	2100 r/min	90 m3/min
2	Velocity Neo, Swing ZX, Swing LX	400 mm	52 W	1350 r/min	65 m3/min
3	Accelero HS	400 mm	130 W	2200 r/min	95 m3/min
4	Sameera	400 mm	52 W	1350 r/min	65 m3/min
D	Wall Fans				
5	D'zire	300 mm	45 W	1350 r/min	50 m3/min
6	Swing	300 mm	45 W	1350 r/min	50 m3/min
7	Swanky, Platina Remote, Swing, Platina, D'zire	400 mm	52 W	1350 r/min	65 m3/min
8	Swing 300 Hi-Speed, D'zire Hi-Speed	300 mm	90 W	2000 r/min	65 m3/min
9	Platina Hi-Speed	400 mm	120 W	2100 r/min	90 m3/min
10	Accelero HS	400 mm	130 W	2200 r/min	95 m3/min
11	Airboll Hi-Speed	450 mm	110 W	1750 r/min	100 m3/min
12	V3	450 mm	100 W	1400 r/min	100 m3/min
13	Sameera	400 mm	52 W	1350 r/min	65 m3/min
14	Girik Neo	400 mm	55 W	1350 r/min	65 m3/min
15	Aindrilla	400 mm	52 W	1350 r/min	65 m3/min
Е	Pedestal Fans				
16	Mini Pedestal	300 mm	50 W	2000 r/min	55 m3/min
17	Trendy, Swing, Sprint LED, Sprint Led Remote, Accelero NS, Trendy Metallic, ORO	400 mm	52 W	1350 r/min	65 m3/min
18	Aindrila Premium	400 mm	52 W + 5 W	1350 r/min	65 m3/min
19	Aindrila Standard	400 mm	52 W	1350 r/min	65 m3/min
20	Pentaforce	400 mm	62 W	1350 r/min	65 m3/min
21	Trendy HS	400 mm	120 W	2100 r/min	90 m3/min
22	Tourner	400 mm	65 W	1250 r/min	75 m3/min



TECHNICAL SPECIFICATIONS



SI No.	Model	Sweep (mm)	Watt (W)	Speed r/min (rev/min)	Air Delivery (m³/min)
E	Pedestal Fans				
23	Marvelwind HS	400 mm	120 W	2100 r/min	90 m3/min
24	Accelero HS	400 mm	130 W	2200 r/min	95 m3/min
25	Sprint - 16 Hi-Speed	400 mm	120 W	2100 r/min	90 m3/min
26	Sprint - 18 Hi-speed	450 mm	120 W	2000 r/min	100 m3/min
27	Sprint - 18	450 mm	100 W	1350 r/min	100 m3/min
28	Windstorm	450 mm	145 W	1400 r/min	145 m3/min
29	Windstorm oxy	500 mm	130 W	1400 r/min	135 m3/min
30	Windstorm Neo	450 mm	145 W	1400 r/min	145 m3/min
31	Windstorm 500	500 mm	130 W	1400 r/min	135 m3/min
32	V3	450 mm	100 W	1400 r/min	100 m3/min
F	Cabin Fan and Personal fan				
33	I COOL	175 mm	52 W	2200 r/min	40 m3/min
34	Birdie	230 mm	45 W	2500 r/min	40 m3/min
35	Crescent	250 mm	40 W	1300 r/min	50 m3/min
36	Breezo	300 mm	80 W	2200 r/min	60 m3/min
37	Ciera Cabin Fan	300 mm	80 W	2400 r/min	75 m3/min
38	Ciera Cabin Fan	230 mm	58 W	2600 r/min	55 m3/min
39	Coolbuddy	144 mm	5 W	2200 r/min	5 m3/min
40	Mini Koolmate	200 mm	45 W	2200 r/min	12 m3/min
41	Swing Gyro	400 mm	60 W	1350 r/min	65 m3/min
G	Ventilair Fan				
42	Vento Jet-Auto Inox/Std, Vento Jet-Inox, Vento Jet-Std	100 mm	15 W	2500 r/min	98 m3/min
43	Vento Jet-Auto Inox/Std, Vento Jet-Inox, Vento Jet-Std	150 mm	25 W	2200 r/min	320 m3/min
44	Vento Hush-Std	100 mm	15 W	2400 r/min	98 m3/min
45	Vento Hush-Std	150 mm	25 W	2100 r/min	320 m3/min
46	Ventilair Hush	100 mm	15 W	2400 r/min	140 m3/min
47	Ventilair Hush	150 mm	25 W	1750 r/min	275 m3/min
48	Vento Max-Auto Std, Vento Max-Std	150 mm	28 W	2400 r/min	320 m3/min
49	Ventilair DXZ	150 mm	22 W	1800 r/min	250 m3/min
50	Ventilair DXZ	100 mm	18 W	2500 r/min	90 m3/min
51	Ventilair DX	150 mm	22 W	1350 r/min	280 m3/min
52	Ventilair DX	200 mm	32 W	1350 r/min	520 m3/min
53	Ventilair DX	250 mm	35 W	1200 r/min	860 m3/min
54	Ventilair DX HS	150 mm	35 W	2200 r/min	350 m3/min
55	Ventilair DX HS	200 mm	70 W	2200 r/min	800 m3/min
56	Ventilair DXW NEO	150 mm	25 W	2000 r/min	300 m3/min

TECHNICAL SPECIFICATIONS

	_	_		
7				
-1		_	_	
-				
- 1				

SI No.	Model	Sweep (mm)	Watt (W)	Speed r/min (rev/min)	Air Delivery (m³/min)
57	Ventilair DXW CELSO	150 mm	15 W	1350 r/min	150 m3/min
58	Ventilair DXW CELSO	200 mm	20 W	1550 r/min	250 m3/min
59	Ventilair DXW	100 mm	15 W	2400 r/min	100 m3/min
60	Ventilair DXW	150 mm	25 W	2000 r/min	300 m3/min
61	Ventilair DXR	150 mm	25 W	1800 r/min	300 m3/min
62	Ventilair DX-WE	150 mm	25 W	1760 r/min	300 m3/min
63	Ventilair DX-C	130 mm	24 W	1760 r/min	150 m3/min
Н	Cabin Fan and Personal fan				
64	Ventilair DB	230 mm	45 W	1400 r/min	860 m3/min
65	Ventilair DB	300 mm	70 W	1400 r/min	1850 m3/min
66	Ventilair DB Neo	230 mm	45 W	1450 r/min	870 m3/min
67	Ventilair DB Neo	300 mm	70 W	1400 r/min	1600 m3/min
68	Ventilair DS	150 mm	38 W	2800 r/min	400 m3/min
69	Ventilair DS	230 mm	35 W	1400 r/min	800 m3/min
70	Ventilair DS	300 mm	40 W	1400 r/min	1060 m3/min
71	Ventilair DSP	230 mm	40 W	1350 r/min	510 m3/min
72	Ventilair DSP	300 mm	50 W	1350 r/min	900 m3/min
ı	Industrial Fans				
73	Turboforce 1-Φ	300 mm	55 W	900 r/min	1145 m3/min
74	Turboforce 1-Φ	300 11111	90 W	1400 r/min	1710 m3/min
75	Turboforce 1-Φ	380 mm	100 W	900 r/min	2000 m3/min
76	Turboforce 1-Φ	360 11111	166 W	1400 r/min	3250 m3/min
77	Turboforce 1-Φ	450 mm	145 W	900 r/min	3900 m3/min
78	Turboforce 1-Φ	430 11111	350 W	1400 r/min	6120 m3/min
79	Turboforce 1-Φ	600 mm	450 W	900 r/min	9400 m3/min
80	Turboforce 3-Φ	450 mm	370 W	1400 r/min	6800 m3/min
81	Turboforce 3-Φ	600 mm	450 W	900 r/min	9400 m3/min
82	Turboforce 3-Φ	900 mm	1350 W	700 r/min	7100 m3/min
83	Turboforce(Wall Air Circulator Fan, Pedestal Air Circulator Fan)	450 mm	100 W	1440 r/min	6120 m3/min
84	Turboforce(Wall Air Circulator Fan, Pedestal Air Circulator Fan)	600 mm	180 W	1440 r/min	16800 m3/min
85	Turboforce(Wall Air Circulator Fan, Pedestal Air Circulator Fan)	750 mm	235 W	1400 r/min	18000 m3/min

Pictures and details of the product(s) in this catalogue are merely illustrative. Actual products may vary in colour, design, description and colour combination etc. Due care has been taken that the information provided herein is accurate but is subject to human error. The information is updated from time to time. Havells India Limited reserves its rights to amend data/details without prior notice.

Copyright Subsists. Imitation of trade dress, graphics and color scheme of this document is a punishable offence.







buy online* at **shop.havells.com***Online shopping is applicable on select products.

HAVELLS INDIA LTD.

Corp Office: QRG Towers, 2D, Sector-126, Expressway, Noida-201304 (U.P.) Ph. +91-120-4771000 Email: marketing@havells.com, Website: www.havells.com Customer Care No. 08045 77 1313